



# **Key Benefits**

- Multi-Output Design: Extends network power for ONT and Gateway with a single unit.
- Backup Time: ONT + Gateway: 3–5 hours
- Gateway Only: 5–7 hours with sleek, modern in-home design.
- Enhanced Customer Experience
- 911 Emergency Calling: Provides uninterrupted access to emergency services.
- Security and Peace of Mind: Ensures Wi-Fi remains operational during power outages.
- Versatile Applications: Powers PoE devices, including ONTs and video surveillance equipment.
- Portable Power Bank: Acts as a large-capacity backup for additional needs.

## **Business Advantages for ISPs**

- Boost Customer Satisfaction: Keep customers connected and reduce churn rates.
- Drive Revenue Growth: Offer the Wi-Fi UPS as part of a top-tier package or charge a nominal monthly fee.
- Stand Out in a Crowded Market: Use as a powerful marketing tool to attract new customers and build loyalty.

## Why Choose the Wi-Fi UPS?

- Innovative Power Solutions: Designed for flexibility and reliability.
- Customer-Centric Features: Tailored to meet the evolving needs of modern households.
- Market Differentiator: Elevates your service offerings and strengthens your brand.





Input AC Input Voltage AC Input Frequency Plug Type

100-240V **50/60 Hz** 2 prong ungrounded

## Output

Output Power:30W POE Output Voltage and Current: 24V/1A, 48V/0.5A DC Output Voltage and Current:12V/2A, 12V/2A USB Output Voltage and Current:5V/2.5A DC Output Size: Female DC 5.5\*2.5mm

### Battery

Type76.96Wh/20800 mAhDesign Lifespan8 yearsRuntimeUp to 8 hours

#### Physical

Product size: 7.7" x 4.5" x 1" Net weight: 1.9 lbs Li-ion Battery 20800mAh/76.9wh

### Environment

Operating Temperature Electronics 0°C to +50°C ( 32°F to + 122°F) Operating Humidity 0% to 95%

Safety compliance:



\*Includes 1 AC Power Cable, 2 DC Cables



- 1. Working status indicator
- 2. ON/OFF switch
- 3. 100% battery capacity indicator
- 4. 75% battery capacity indicator
- 5. 50% battery capacity indicator
- 6. 25% battery capacity indicator
- 7. POE output port
- 8. Ethernet LAN in port
- 9. POE port output volt selector
- 10. USB 5V output port
- 11. DC 12V output port 12. DC 12V output port
- 13. AC power input sockets

ESPI. Your Next Generation UPS

\*Bold indicates industry-best

630 Lincoln Ave., Clay Center, KS 67432 • 877-799-3774 • www.espicorp.com